State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-13-32 Relating to Certification of New Motor Vehicle Engines

CATERPILLAR TRACTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Caterpillar Tractor Company 1981 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating greater than 8500 pounds:

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
12	1099 (18.0)	Engine Modification (Turbocharger, Aftercooler)
13	636 (10.4)	Exhaust Gas Recirculation
14	638 (10.5)	Engine Modification (Turbocharger, Aftercooler)
16-Code C	893 (14.6)	Engine Modification (Turbocharger, Aftercooler)

Engine Models and Codes as listed on attachments.

Section 43200, Part 5, Division 26 of the California Health and Safety Code requires that the engine manufacturer furnish a decal with each engine sold or delivered to a vehicle manufacturer. The decal shall display the applicable model year heavy-duty engine exhaust emission standards and the following certification emission values:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Hydrocarbons + Nitrogen Oxides gm/bhp-hr
12	0.1	1	4.8
13	0.6	6	5.4
14	0.2	2	5.4
16-Code C	0.4	2	4.5

BE IT FURTHER RESOLVED: That Caterpillar Tractor Company has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

day of June, $\frac{1980}{2}$

K. D. Drachand, Chief

Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

nufacturer <u>Caterpillar</u>	Executive Order No. A-13-32	rage
	Evaporative Family <u>n/a</u>	
ABBREVIATIONS	Engine CID (Liters)	

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DI-Diesel Injection
EFI-Electronic
Fuel Injection
MFI-Mechanical Fuel
Injection
TC-Turbocharged
AC-Aftercooler

Fuel System
CFI, DI, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Engine Family	Engine Model
12	3408
13	3208
14	3306
16-Code C	3406

Manufacturer	Caterpillar Tracto	r Company		Page 2	
Engine Family_	12 Model 3408	C	[D(Liter)-Ty	pe <u> 1099 (18.0</u>) V8
ECS(Special Fea	atures <u>)</u> EM (TC,	AC)			
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum HP mm ³ /stroke	Label Ident.
3408	Caterpillar 9N3316	Caterpillar 7N9843	450 @ 2100	191	9N6066
			425 @ 2100	179	
			400 @ 2100	169	
			425 @ 1950	191	
			400 @ 1950	179	

Date of Issue -

Manufacturer (Caterpillar Tractor	Company		Page <u>3</u>	
Engine Family 1 ECS (Special Fea	3 Model 3208	C1	D(Liter)-Ty	pe <u>636 (10.4</u>) V8
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum ^{3HP} mm ³ /stroke	Label Ident.
3208	Caterpillar 9N2431 or 9N5178	Caterpillar 9N3979 or 1W5829*	200 @ 2800 175 @ 2800	63 54	9N6036
				Parallel Control of the Control of t	

Date of Issue - 06/27/80
Revised - 08/06/81 - Injector nozzle P/N

Manufacturer !	Caterpillar Tractor	Company		Page4		
Engine Family_				ID(Liter)-Type <u>638 (10.5) I6</u>		
ECS (Special Fea	atures <u>)</u> EM (TC, A	(C)				
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum ^{HP} mm ³ /stroke	Label Ident.	
3306	Caterpillar 9N2885	Caterpillar 9N2845	270 @ 2200	148	9N6034	
	9N2886		270 @ 2100	154		
			245 @ 2200	134		
•						
			1			

Date of Issue -

Manufacturer Caterpillar Tractor Company		Company	Page 5		
Engine Family 16-Code C C: ECS (Special Features) EM (TC, AC)			ID(Liter)-Type <u>893 (14.6) I6</u>		
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum 3HP mm ³ /stroke	Label Ident.
3406	Caterpillar 9N6355 or 9N6102*	Caterpillar 9L6884	380 @ 2100	210	9\\6035
	9110102		300 @ 2100 300 @ 1900	177	-
			350*@ 1800	214*	

Date of Issue -06/27/80

*Revised -06/12/81()Fuel pump group only

** -10/23/81:9/17/81 Add'n of new derating